



AGENCE DES NORMES ET DE LA QUALITÉ®
STANDARDS AND QUALITY AGENCY®

www.anor.cm

PROJET DE NORME CAMEROUNAISE PNC 3216 : 2026 - CT 15

2026

CALCIUM AMMONIUM NITRATE (CAN) FERTILIZER — SPECIFICATION

Toute reproduction ou représentation intégrale ou partielle, par quelque procédé que ce soit, des pages publiées dans le présent document, faite sans l'autorisation de l'éditeur est illicite et constitue une contrefaçon. Seules sont autorisées d'une part, les reproductions strictement réservées à l'usage privé du copiste et non destinées à une utilisation collective et, d'autre part, les analyses et courtes citations justifiées par le caractère scientifique ou d'information de l'œuvre dans laquelle elles sont incorporées.

PROJET DE NORME CAMEROUNAISE

ENQUETE PUBLIQUE N° : 19

Durée de l'enquête Du 21/09/2026 Au 19/10/2026

Edition et diffusion par l'Agence des Normes et de la Qualité

B.P.: 14966 Yaoundé – CAMEROUN – Tél: 6992 257 777 /Fax.: (237) 222 22 64 96

E-mail : enquetepublique@anor.cm – www.anor.cm/enquetes-publiques

ANOR®

DN-R2/PR-01/ENR-02
16/12/2015

Calcium ammonium nitrate (CAN) fertilizer — Specification



Table of contents

1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Requirements	1
4.1	General description.....	1
4.2	Physical requirement	2
4.3	Chemical requirements.....	2
4.4	Heavy metal contaminants	2
5	Sampling.....	2
6	Tests.....	2
6.1	Methods of test	3
6.2	Inspection.....	3
7	Compliance.....	3
8	Packaging and labelling	3
8.1	Packaging	3
8.2	Labelling.....	3
9	Certificate of analysis	3
10	Material safety	4

Foreword

The African Organization for Standardization (ARSO) is an African intergovernmental organization established by the United Nations Economic Commission for Africa (UNECA) and the Organization of African Unity (AU) in 1977. One of the fundamental mandates of ARSO is to develop and harmonize African Standards (ARS) for the purpose of enhancing Africa's internal trading capacity, increase Africa's product and service competitiveness globally and uplift the welfare of African communities. The work of preparing African Standards is normally carried out through ARSO technical committees. Each Member State interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, Regional Economic Communities (RECs), governmental and non-governmental organizations, in liaison with ARSO, also take part in the work.

ARSO Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare ARSO Standards. Draft ARSO Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an ARSO Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ARSO shall not be held responsible for identifying any or all such patent rights.

This African Standard was prepared by the ARSO Technical Harmonization Committee Number 5 on Chemistry and Chemical Engineering (ARSO/THC 05).

© African Organisation for Standardisation 2018 — All rights reserved*

ARSO Central Secretariat
International House 3rd Floor
P. O. Box 57363 — 00200 City Square
NAIROBI, KENYA

Tel. +254-20-2224561, +254-20-3311641, +254-20-3311608

E-mail: arso@arso-aran.org

Web: www.arso-aran.org

* © 2018 ARSO — All rights of exploitation reserved worldwide for African Member States' NSBs.

Copyright notice

This ARSO document is copyright-protected by ARSO. While the reproduction of this document by participants in the ARSO standards development process is permitted without prior permission from ARSO, neither this document nor any extract from it may be reproduced, stored or transmitted in any form for any other purpose without prior written permission from ARSO.

Requests for permission to reproduce this document for the purpose of selling it should be addressed as shown below or to ARSO's member body in the country of the requester:

© African Organisation for Standardisation 2018 — All rights reserved

ARSO Central Secretariat
International House 3rd Floor
P.O. Box 57363 — 00200 City Square
NAIROBI, KENYA

Tel: +254-20-2224561, +254-20-3311641, +254-20-3311608

E-mail: arso@arso-oran.org
Web: www.arso-oran.org

Reproduction for sales purposes may be subject to royalty payments or a licensing agreement. Violators may be prosecuted.

Calcium ammonium nitrate (CAN) fertilizer — Specification

1 Scope

This African Standard specifies requirements, sampling and test methods for calcium ammonium nitrate (CAN) fertilizer.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

AOAC 955.01, *Neutralizing value for liming materials*

AOAC 2006.03, *Arsenic, cadmium, cobalt, chromium, lead, molybdenum, nickel, and selenium in fertilizers — Microwave digestion and inductively coupled plasma-optical emission spectrometry*

EN 12048, *Solid fertilizers and liming materials — Determination of moisture content — Gravimetric method by drying at 105 ± 2 °C*

ISO 5314, *Fertilizers — Determination of ammoniacal nitrogen content — Titrimetric method after distillation*

ISO 5315, *Fertilizers — Determination of total nitrogen content — Titrimetric method after distillation*

ISO 7409, *Fertilizers — Marking — Presentation and declarations*

ISO 8157, *Fertilizers and soil conditioners — Vocabulary*

ISO 8397, *Solid fertilizers and soil conditioners — Test sieving*

ISO 14820-1, *Fertilizers and liming materials — Sampling and sample preparation — Part 1: Sampling*

ISO 14820-2, *Fertilizers and liming materials — Sampling and sample preparation — Part 2: Sample preparation*

ISO 15604, *Fertilizers — Determination of different forms of nitrogen in the same sample, containing nitrogen as nitric, ammoniacal, urea and cyanamide nitrogen*

ISO 17318, *Fertilizers and soil conditioners — Determination of arsenic, cadmium, chromium, lead and mercury contents*

ISO 20978, *Neutralising value measurement (or determination)*

ISO 25475, *Fertilizers — Determination of ammoniacal nitrogen*

3 Terms and definitions

For the purpose of this standard the terms and definitions in ISO 8157 apply.

4 Requirements

4.1 General description

The fertilizer shall be in pellet /prills or granular form free from lumps, visible foreign matter and shall be free-flowing.

4.2 Physical requirement

4.2.1 When test sieved in accordance with ISO 8397, not less than 90% of weight of the material shall be of particles in the size range of 1 mm to 4.75 mm for pellets/prills or 2mm to 5mm for granular form.

4.2.2 Not more than 5% shall be below 1 mm size.

4.3 Chemical requirements

The fertilizer shall consist of homogeneous granules/pellets of ammonium nitrate with limestone filler and shall comply with the requirements when tested with the appropriate method given in the last column of Table 1.

Table 1 — Requirements/limits for calcium ammonium nitrate

Characteristic	Requirement	Test method
Nitrogen content (as total N), %m/m, min.	26.0	ISO 5315
Neutralizing value as equivalent of CaO (or as % by weight of CaO), %m/m, min.	9.0	ISO 20978/ AOAC 955.01
Moisture, %, m/m, max.	1.0	EN 12048
Calcium and magnesium, as %calcium carbonate, m/m, min	18	ISO 20978/ AOAC 955.01
Ammoniacal nitrogen, per cent by mass of total nitrogen, min	50	ISO 5314/ ISO 25475
Nitrate nitrogen, percent by mass of total nitrogen, min	50	ISO 15604

4.4 Heavy metal contaminants

The presence of heavy metal contaminants shall not exceed the limits stipulated in Table 2.

Table 2 — Heavy metal contaminants

Sl. No.	Parameter	Limits, mg/kg	Test method
i)	Arsenic, As, max.	10.0	AOAC 2006.03/ ISO 17318
ii)	Cadmium, Cd, max.	30.0	AOAC 2006.03/ ISO 17318
iii)	Mercury, Hg, max.	0.1	AOAC 2006.03/ ISO 17318
iv)	Selenium, Se, max.	1.0	AOAC 2006.03
v)	Lead, Pb, max.	30.0	AOAC 2006.03/ ISO 17318
	Nickel	120	AOAC 2006.03/ ISO 17318
vi	Chromium, Cr. Max.	50.0	AOAC 2006.03/ ISO 17318

5 Sampling

Sampling shall be carried out in accordance with ISO 14820-1.

6 Tests

6.1 Methods of test

Samples of the fertilizer shall be prepared in accordance with ISO 14820-2 and tested in accordance with the methods of test indicated in Table 1 and Table 2.

6.2 Inspection

From the bulk samples obtained in accordance with ISO 14820-1, inspect the lot for the characteristics relating to the packing and marking of the product.

7 Compliance

The lot shall be deemed to comply with the standard if after inspection and testing it complies with the requirements of this standard.

8 Packaging and labelling

8.1 Packaging

The fertiliser shall be packed in clean, non-defective and strong containers. The material for which the container is made shall be such as to protect the contents from moisture and also not lead to easy rupture during handling, transportation and storage.

8.2 Labelling

8.2.1 Retail containers

Each container of the fertiliser shall bear a label in indelible marking in accordance with ISO 7409, the Globally Harmonized System of classification and labelling of Chemicals (GHS) and with the following particulars:

- a) name of the fertilizer, as "Calcium Ammonium Nitrate (CAN)";
- b) name, address and physical location of the manufacturer/packer/importer;
- c) the nutrient content of the material as a percentage by mass;
- d) country of origin/manufacture;
- e) date of manufacture and expiry;
- f) the content net weight;
- g) batch/lot number;
- h) storage instructions;
- i) handling instructions.
- j) for agricultural use

8.2.2 Bulk containers

Where the product is distributed in bulk, the marking information shall accompany the delivery notice to the purchaser.

9 Certificate of analysis

A certificate of analysis stating the actual percentage levels of plant nutrient elements shall accompany every lot or consignment of the fertilizer.

10 Material safety

Each consignment / shipment shall be accompanied by a Material Safety Data Sheet (MSDS) and/ or Technical Data Sheet (TDS) where appropriate.

ENQUETE PUBLIQUE N° 19