



AGENCE DES NORMES ET DE LA QUALITE®
STANDARDS AND QUALITY AGENCY®

www.anor.cm

PROJET DE NORME CAMEROUNAISE PNC 3154 : 2026 - CT 48

2026

CASSAVA CRISPS – SPECIFICATION

Toute reproduction ou représentation intégrale ou partielle, par quelque procédé que ce soit, des pages publiées dans le présent document, faite sans l'autorisation de l'éditeur est illicite et constitue une contrefaçon. Seules sont autorisées d'une part, les reproductions strictement réservées à l'usage privé du copiste et non destinées à une utilisation collective et, d'autre part, les analyses et courtes citations justifiées par le caractère scientifique ou d'information de l'œuvre dans laquelle elles sont incorporées.

PROJET DE NORME CAMEROUNAISE

ENQUETE PUBLIQUE N° : 19

Durée de l'enquête Du 21/09/2026 Au 19/10/2026

Edition et diffusion par l'Agence des Normes et de la Qualité

B.P.: 14966 Yaoundé – CAMEROUN – Tél: 6992 257 777 /Fax.: (237) 222 22 64 96

E-mail : enquetepublique@anor.cm – www.anor.cm/enquetes-publiques

ANOR®

DN-R2/PR-01/ENR-02
16/12/2015

Cassava crisps — Specification



Table of contents

1	Scope	1
2	Normative references	1
3	Terms and definitions	2
4	Quality requirements	2
4.1	Raw materials	2
4.2	Optional ingredients	2
4.3	General requirements	3
4.4	Specific requirements	3
5	Food additives	3
6	Contaminants	3
6.1	Pesticide residues	3
6.2	Other contaminants	4
7	Hygiene	4
8	Packaging	4
9	Marking and labelling	4
10	Sampling	5
	Annex A (normative) Determination of acid insoluble ash	6
	Annex B (normative) Determination of free fatty acids	7
	Annex C (normative) Determination of the sodium chloride content	8
	Bibliography	10
	Acknowledgment and appreciation	10

Foreword

The African Organization for Standardization (ARSO) is an African intergovernmental organization established by the United Nations Economic Commission for Africa (UNECA) and the Organization of African Unity (AU) in 1977. One of the fundamental mandates of ARSO is to develop and harmonize African Standards (ARS) for the purpose of enhancing Africa's internal trading capacity, increase Africa's product and service competitiveness globally and uplift the welfare of African communities. The work of preparing African Standards is normally carried out through ARSO technical committees. Each Member State interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, Regional Economic Communities (RECs), governmental and non-governmental organizations, in liaison with ARSO, also take part in the work.

ARSO Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare ARSO Standards. Draft ARSO Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an ARSO Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ARSO shall not be held responsible for identifying any or all such patent rights.

This African Standard was prepared by the ARSO Technical Harmonization Committee on *Agriculture and Food Products* (ARSO/THC 02).

© African Organisation for Standardisation 2016 — All rights reserved*

ARSO Central Secretariat
International House 3rd Floor
P. O. Box 57363 — 00200 City Square
NAIROBI, KENYA

Tel. +254-20-2224561, +254-20-3311641, +254-20-3311608

E-mail: arso@arso-oran.org

Web: www.arso-oran.org

* © 2016 ARSO — All rights of exploitation reserved worldwide for African Member States' NSBs.

Copyright notice

This ARSO document is copyright-protected by ARSO. While the reproduction of this document by participants in the ARSO standards development process is permitted without prior permission from ARSO, neither this document nor any extract from it may be reproduced, stored or transmitted in any form for any other purpose without prior written permission from ARSO.

Requests for permission to reproduce this document for the purpose of selling it should be addressed as shown below or to ARSO's member body in the country of the requester:

© African Organisation for Standardisation 2016 — All rights reserved

ARSO Central Secretariat
International House 3rd Floor
P.O. Box 57363 — 00200 City Square
NAIROBI, KENYA

Tel: +254-20-2224561, +254-20-3311641, +254-20-3311608

E-mail: arso@arso-oran.org
Web: www.arso-oran.org

Reproduction for sales purposes may be subject to royalty payments or a licensing agreement. Violators may be prosecuted.

Introduction

Crisps are thin slices of fruit or vegetable (usually cassava), deep-fried or baked until brittle and served as an appetizer, side dish, or snack. The crisps are just cooked and salted, but manufacturers can add a wide variety of seasonings using herbs, spices, cheese, or artificial additives.

Crisps are an important part of the snack food in the market. Crisps can be packaged in a variety of ways including tins to keep the crisps fresh until opened.

This standard is intended to provide guidance on the essential characteristics of crisps in order to promote the use cassava in the processing of crisps and ensure that products are of high quality and safety.

ENQUÊTE PUBLIQUE N° 19

Cassava crisps — Specification

1 Scope

This African Standard specifies requirements, methods of sampling and test for crisps made from sweet varieties of cassava (*Manihot esculenta* Crantz) intended for human consumption

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ARS 53, *General principles of food hygiene — Code of practice*

ARS 56, *Prepackaged foods — Labelling*

ARS 471, *Food grade salt — Specification*

ARS 835, *Fresh sweet cassava — Specification*

ARS 844, *Cassava and cassava products — Determination of total cyanogens — Enzymatic assay method*

CODEX STAN 192, *General standard for food additives*

CODEX STAN 193, *Codex general standard for contaminants and toxins in food and feed*

ISO 712, *Cereals and cereal products — Determination of moisture content — Reference method*

ISO 2171, *Cereals, pulses and by-products — Determination of ash yield by incineration*

ISO 2447, *Fruit and vegetable products — Determination of tin content*

ISO 3960, *Animal and vegetable fats and oils — Determination of peroxide value — Iodometric (visual) endpoint determination*

ISO 4833, *Microbiology of food and animal feeding stuffs — Horizontal method for the enumeration of microorganisms — Colony-count technique at 30 degrees C*

ISO 5498, *Agricultural food products — Determination of crude fibre content — General method*

ISO 5517, *Fruits, vegetables and derived products — Determination of iron content — 1,10-Phenanthroline photometric method*

ISO 6561-1, *Fruits, vegetables and derived products — Determination of cadmium content — Part 1: Method using graphite furnace atomic absorption spectrometry*

ISO 6561-2, *Fruits, vegetables and derived products — Determination of cadmium content — Part 2: Method using flame atomic absorption spectrometry*

ISO 6579, *Microbiology of food and animal feeding stuffs — Horizontal method for the detection of Salmonella spp.*

ISO 6633, *Fruits, vegetables and derived products — Determination of lead content — Flameless atomic absorption spectrometric method*

ISO 6634, *Fruits, vegetables and derived products — Determination of arsenic content — Silver diethyldithiocarbamate spectrophotometric method*

ISO 6636-1, *Fruits, vegetables and derived products — Determination of zinc content — Part 1: Polarographic method*

ISO 7251, *Microbiology of food and animal feeding stuffs — Horizontal method for the detection and enumeration of presumptive Escherichia coli — Most probable number technique*

ISO 7952, *Fruits, vegetables and derived products — Determination of copper content — Method using flame atomic absorption spectrometry*

ISO 21527-2, *Microbiology of food and animal feeding stuffs — Horizontal method for the enumeration of yeasts and moulds — Part 2: Colony count technique in products with water activity less than or equal to 0.95*

ISO 27107, *Animal and vegetable fats and oils — Determination of peroxide value — Potentiometric end-point determination*

3 Terms and definitions

For the purpose of this standard the following terms and definitions shall apply.

3.1

cassava crisps

thin slices of peeled and washed sweet cassava roots deep-fried or baked until crunchy

3.2

food grade material

material which safeguard the hygienic, nutritional, and organoleptic qualities of the product.

3.3

foreign matter

organic and inorganic materials (such as sand, soil, glass) other than extraneous matter in the crisps

3.4

extraneous matter

organic matter of origin other than cassava crisps

4 Quality requirements

4.1 Raw materials

The following materials shall be used in the processing of cassava crisps:

4.1.1 Cassava roots complying with ARS 835.

4.1.2 Edible oil or fat complying with the relevant African Standards.

NOTE Using the oil several times may lead to poor quality and affect the safety of the crisps.

4.2 Optional ingredients

4.2.1 Edible salt complying with ARS 471.

4.2.2 Spices and condiments complying with the relevant African Standards.

4.3 General requirements

- (a) Cassava crisps shall be light yellow to golden brown in colour. Where spices or other additives are used, the colour shall be characteristic of that ingredient.
- (b) Cassava crisps shall be free from off-flavour, rancidity, bitter taste and any other blemish.
- (c) The crisps shall be uniform in size and have a thickness of between 1.0 mm - 1.5 mm.
- (d) The cassava crisps shall not show any blisters or noticeable separation between the outer and the inner portions.
- (e) The cassava crisps shall be crunchy or crispy and free from sogginess and excessive oil.

4.3.2 Defects

- (a) Cassava crisps shall not contain more than 10 % by mass of small pieces, slivers and irregular pieces.
- (b) Packaged cassava crisps shall have not more than 1 % of the crisps with the following defects:
 - (i) surface or internal pigmentation;
 - (ii) blisters;
 - (iii) callous area; and
 - (iv) black specks and spots.

4.4 Specific requirements

Cassava crisps shall conform to the requirements specified in Table 1.

Table 1 — Compositional requirements for cassava crisps

Parameters	Requirements	Method of test
Moisture content, %, by mass, max.	5	ISO 712
Fat content on dry weight, %, max.	35	ISO 11085
Free fatty acids on dry weight basis, %, max.	0.5	Annex B
Sodium chloride (NaCl) on dry weight basis, %, max	2.0	Annex C
Potential cyanide, mg/kg, max	10	ARS 844
Acid insoluble ash, %, by mass, max	0.05	Annex A
Peroxide value, meq oxygen per gram, max	0.5	ISO 3960 or ISO 27107

5 Food additives

Food additives may be used in the preparation of cassava crisps in accordance with Codex Stan 192.

6 Contaminants

6.1 Pesticide residues

Cassava crisps shall conform to maximum residue limits for pesticide residues established by the Codex Alimentarius Commission for this commodity.

6.2 Other contaminants

Cassava crisps shall comply with the maximum levels of the Codex General Standard for Contaminants and Toxins in Food and Feed (Codex Stan 193).

Table 3 — Maximum limits for metallic contaminants

S/No	Contaminant	Maximum level (mg/kg)	Method of test
1	Arsenic	0.1	ISO 6634
3	Lead	1.0	ISO 6633
4	Cadmium	0.1	ISO 6561-1, -2
5	Tin	15.0	ISO 2447

7 Hygiene

Cassava crisps shall be prepared and handled in accordance with ARS 53 and shall conform to microbiological limits specified in Table 2.

Table 2 — Microbiological limits for cassava crisps

Micro-organism(s)	Requirements	Method of test
Total plate count, cfu/g, max	10^4	ISO 4833
<i>Escherichia coli</i> , cfu/10 g per 10 grams	Shall be absent	ISO 7251
Salmonella	Shall be absent	ISO 6579
Yeasts and moulds, cfu/g	10^2	ISO 21527-2

8 Packaging

8.1 Cassava crisps shall be packaged in food grade material.

8.2 The net weight of the packages for cassava crisps may be required to meet trade metrology regulations of the destination country.

9 Marking and labelling

In addition to the requirements of ARS 56, the following specific labelling requirements shall apply and shall be legibly and indelibly marked:

- (a) common name of the product 'Cassava Crisps';
- (b) name, and physical address of the manufacturer/ distributor and /or trade name/ brand name;
- (c) if spiced they shall be labelled 'Spiced Cassava Crisps';
- (d) date of manufacture;
- (e) list of ingredients;
- (f) lot identification;
- (g) Best before/ expiry date;
- (h) country of origin;

- (i) the net weight in metric units;
- (j) storage instructions;
- (k) declaration stating “salted” or “unsalted”;
- (l) instructions on disposal of used package.
- (m) Nutritional profile/information of cassava crisps need to be stated on the packaging material used.

10 Sampling

Sampling of dried cassava chips shall be done in accordance with ISO 874.

Annex A
(normative)

Determination of acid insoluble ash

A.1 Reagent

A.1.1 Dilute Hydrochloric Acid — 1:1, prepared from concentrated hydrochloric acid.

A.2 Procedure

A.2.1 Weigh accurately about 2 g of the dried material in a tared porcelain, silica or platinum dish. Ignite with a meker burner for about 1 hour. Complete the Ignition by keeping in a muffle furnace at 500 °C to 570 °C until grey ash results.

Cool and filter through whatman filter paper No. 42 or its equivalent. Wash the residue with hot water until the washings are free from chlorides as tested with silver nitrate solution and return the filter paper and residue to the dish. Keep it in an electric air oven maintained at 135 ± 2 °C for about 3 hrs. Ignite the dish again for about 30 minutes, cool and weigh. Repeat this process till the difference between two successive weighings is less than 1 mg. Note the lowest weight.

A.3 Calculation

A.3.1 Acid insoluble ash, per cent by weight

$$= \frac{100(M_2 - M)}{M_1 - M}$$

where,

M_2 = the lowest weight, in g, of the dish with the acid insoluble ash;

M = weight, in g, of the empty dish; and

M_1 = weight, in g, of the dish with the dried product taken for the test.

Annex B (normative)

Determination of free fatty acids

B.1 Apparatus — Soxhlet fat extraction apparatus

B.2 Reagents

B.2.1 Petroleum ether, distilling below 65 °C, or ethyl ether.

B.2.2 Alcohol potassium hydroxide, 0.1 N (use absolute or alcohol denatured with methanol)

B.2.3 Alcohol-ether mixture, equal volumes of 96 % alcohol and ethyl ether

B.2.4 Phenolphthalein solution, 1 % in alcohol or alcohol denatured with methanol. Add 0.3 mL per 100 mL mixture of alcohol-ether and add alcoholic KOH solution to a faint pink.

B.3 Procedure

B.3.1 Extract 10.00 g ± 0.01 g of the sample taken in a thimble with petroleum ether for about 4 h in a Soxhlet extraction apparatus. Completely evaporate the solvent from the extraction flask (weighed previously) on a steam bath, cool and weigh the extraction flask with the residue. Dissolve the residue in the extraction flask with the 50 ml of the alcohol-ether phenolphthalein solution. Titrate the dissolved extract, with standard potassium hydroxide solution, to a faint pink colour, which persists for 10 s. If emulsion is formed during titration, dispel by adding a second 50 ml portion of the alcohol-ether phenolphthalein solution.

B.3.2 Make a blank titration on 50 ml of the alcohol-ether phenolphthalein solution and subtract this value from the titration value of the sample. If the additional 50 ml portion of the alcohol-ether phenolphthalein solution is added, double the blank titration.

B.4 Calculation

Calculate the acid value from the following formula:

$$\text{Acid value (as oleic acid)} = \frac{56.1V/N}{M}$$

where,

V is the volume, in ml, of standard potassium hydroxide solution used;

N is the normality of standard potassium hydroxide solution; and

M is the mass, in g, of the material taken for the test.

Annex C
(normative)

Determination of the sodium chloride content

C.1 Scope

This method determines the content of chlorides.

C.2 Definition

The chloride content corresponds to the sum of all anions (halides) calculated as sodium chloride precipitable with silver ions in a nitric acid solution.

C.3 Principle

Quantitative precipitation of the halides extracted from the ash in a nitric acid solution with AgNO_3 in excess.

Back titration of the surplus AgNO_3 with ammonium thiocyanate, using ferric alum (ferric ammonium sulphate) as the indicator.

C.4 Reagents

C.4.1 Distilled or demineralized water

C.4.2 AgNO_3 solution, 0.1 N (16.9888 g AgNO_3)

C.4.3 NH_4SCN solution, 0.1 N (7.6113 g NH_4SCN). In practice a slightly higher weight is taken and the solution is adjusted by dilution against a 0.1 N AgNO_3 solution.

C.4.4 Cold saturated $\text{NH}_4\text{Fe}(\text{SO}_4)_2 \cdot 12\text{H}_2\text{O}$ solution (approximately 40 %). The ensuing brown colouring is eliminated by adding pure nitric acid dropwise.

C.4.5 HNO_3 (approximately 30 %)

C.4.6 Diethyl ether of nitrobenzene

C.5 Apparatus

C.5.1 Measuring flask, 100 ml

C.5.2 Burette, 50 ml

C.5.3 Erlenmeyer flask, 200 ml

C.5.4 Pipettes

C.5.5 Funnel, filtering paper

C.6 Procedure

The ash (residue after carbonisation and incineration of the potato crisp at a maximum temperature of 550°C in a muffle furnace) obtained from 1 g – 2 g dry matter is extracted by means of 80 ml – 90 ml hot distilled water acidified with a few drops of nitric acid. The washings are filtered off into a 100 ml measuring flask; after cooling distilled water is added until the mark is reached (stock solution).

In proportion to the expected chloride content aliquot part of this solution, which should preferably contain 50 mg – 100 mg NaCl, taken off, distilled water being added to obtain a quantity of approximately 100 ml.

Subsequently 5 ml ferric alum solution (see C.4.4), 20 mL 0.1 N AgNO₃ solution (see C.4.2) and 5 ml – 10 ml ether or 1 ml nitrobenzene are added; titration is carried out by means of an ammonium thiocyanate solution 0.1 N (see C.4.3), until the red colouring remains after stirring.

C.7 Expression of results

Report in percentage by weight to one decimal place.

$$\text{Chloride content} = \frac{5.65 (V_2 - V_3) \times V \times 100}{V_1 \times P}$$

where,

P is the test portion, in mg, incinerated;

V is the ml of the stock solution derived from the ash;

V_1 is the volume, in ml, stock solution used from titration;

V_2 is the volume, in ml, AgNO₃ added;

V_3 is the volume, in ml, NH₄SCN necessary for back titration.

Bibliography

EAS 743:2010, *Cassava crisps — Specification*

Acknowledgment and appreciation

This African Standard was harmonized under the project titled:

Harmonization of African Standards for Agriculture and Food Products
June 2015 — August 2018

financed by the **African Development Bank (AfDB)** through the **African Trade Fund (AfTra)** Programme. ARSO acknowledges and appreciates this support on behalf of its Member States.

ENQUETE PUBLIQUE N° 19